

Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 1 065 046 A1

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:

03.01.2001 Bulletin 2001/01

(51) Int. Cl.⁷: **B32B 5/04, A61F 13/15**

(21) Application number: **00305449.1**

(22) Date of filing: **29.06.2000**

(84) Designated Contracting States:

**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**

Designated Extension States:

AL LT LV MK RO SI

(30) Priority: **30.06.1999 JP 18678699**

(71) Applicant: **UNI-CHARM CORPORATION**
Kawanoe-shi Ehime-ken (JP)

(72) Inventors:

- **Mishima, Yoshitaka,**
c/o Technical Center
Mitoyo-gun, Kagawa-ken 769-1602 (JP)
- **Sayama, Yasushi,**
c/o Technical Center
Mitoyo-gun, Kagawa-ken 769-1602 (JP)

(74) Representative:


Parry, Christopher Stephen
Saunders & Dolleymore,
9 Rickmansworth Road
Watford, Herts. WD18 0JU (GB)

(54) Elastically stretchable sheet

(57) An elastically stretchable sheet for articles such as diapers and sanitary napkins. A flat sheet material intrinsically having an elastic stretchability in the longitudinal direction rather than in the transverse direction is formed with a plurality of pleats extending in the longitudinal direction and having a plurality of crests 6 and

troughs 7 alternately repeating in the transverse direction and a plurality of elastic threads 4 being stretchable in the transverse direction are secured to respective apices 8 of the plurality of crests 6 forming from outer side.

FIG.2



EP 1 065 046 A1

Description

[0001] This invention relates to a sheet having an elastic stretchability longitudinally and transversely thereof.

[0002] It is well known to obtain a nonwoven fabric of comfortable touch by a process comprising the steps of a continuously feeding web of elastically stretchable fiber and treating this with heated emboss-rolls or high pressure column-shaped water streams so that the composite fibers may be heat-sealed together or mechanically intertwined together. Such a nonwoven fabric has conventionally used in various garments such as disposable diapers or sanitary napkins.

[0003] In the case of the known nonwoven fabric, the elastic component fibers are apt to be oriented in coincidence with the machine direction during a step of making the web or the subsequent step of treating the web. Consequently, the nonwoven fabric obtained is easily stretchable in the machine direction but often inadequately stretchable in the direction orthogonal to the machine direction.

[0004] It is an object of this invention to make an elastically stretchable sheet being intrinsically stretchable in one direction but not in the direction orthogonal to the one direction stretchable in these two directions.

[0005] According to this invention, there is provided a sheet having an elastic stretchability both in a longitudinal direction thereof and in a transverse direction orthogonal to the longitudinal direction, wherein: a flat sheet material intrinsically having a nature of being elastically stretchable in the longitudinal direction without any significant resistance rather than in the transverse direction is formed with a plurality of pleats extending in the longitudinal direction and having a plurality of crests and troughs alternately repeating in the transverse direction and a plurality of elastic members being stretchable in the transverse direction are secured to respective apices of the plurality of crests forming the pleats from outer side.

[0006] According to one preferred embodiment of this invention, the elastic members are secured also to respective bottoms of the plurality of troughs forming the pleats from outer side.

[0007] According to another preferred embodiment of this invention, the elastic members are provided in the form of elastic threads and according to still another preferred embodiment of this invention, the elastic members are provided in the form of a sheet having an elastic stretchability both in the longitudinal direction and in the transverse direction.

Fig. 1 is a perspective view of a sheet;

Fig. 2 is a perspective view of an elastically stretchable sheet;

Fig. 3 is a view similar to Fig. 2 but showing one

preferred embodiment of this invention;

Fig. 4 is a view similar to Fig. 2 but showing another preferred embodiment of this invention; and

Fig. 5 is a view similar to Fig. 2 but showing still another preferred embodiment of this invention.

[0008] Details of an elastically stretchable sheet according to this invention will be more fully understood from the description given hereunder with reference to the accompanying drawings.

[0009] Fig. 1 is a perspective view of a flat sheet material 1 and Fig. 2 is a perspective view of an elastically stretchable sheet 2. In a direction indicated by a double-headed arrow Y, the sheet material 1 is elastically stretchable but in a direction indicated by a double-headed arrow X, the sheet material 1 is not stretchable at all or not easily stretchable as in the direction Y or non-elastically stretchable. Examples of such sheet material 1 include, for example, a nonwoven or woven fabric in which stretchable component yarns such as elastic urethane yarns or crimped conjugated fibers are oriented substantially in the direction Y.

[0010] The elastically stretchable sheet 2 comprises a pleated sheet 3 obtained by pleating the sheet material 1 and a plurality of elastic threads 4. The sheet material 1 has alternate crests 6 and troughs 7 each extending in the direction Y to form the pleats undulating in the direction X. The elastic threads 4 rectilinearly extending in the direction X and are respectively bonded with or without a tension to apices 8 of the crests 6.

[0011] The elastic threads 4 may be of natural rubber, synthetic rubber, plastic elastomer or the like and secured to the apices 8 by means of suitable adhesive such as hot melt adhesive. It is also possible to use rubber-based hot melt adhesive having an elastic stretchability as the elastic threads 4. The hot melt adhesive extending like the threads may be applied in its molten or semi-molten state to the apices to form the elastic threads 4.

[0012] When the elastically stretchable sheet 2 is pulled in the direction Y, the pleated sheet 3 is elastically stretched. When the sheet 2 is pulled in the direction Y, the pleated sheet 3 is flattened and thereby the elastic threads 4 are elastically stretched. Accordingly, the elastically stretchable sheet 2 is elastically stretchable both in the direction Y and in the direction X. The material, the shape and the number of the elastic threads 4 should be selected so that a total stretch stress exhibited by the elastic threads 4 may be substantially equal to a stretch stress exhibited by the pleated sheet 3 when the latter is pulled in the direction Y. Such selection facilitates the elastically stretchable sheet 2 to be elastically stretched uniformly both in the direction Y and in the direction X. The elastically stretchable sheet 2 can be made at a relatively low cost and suitably used as the elastic members in various disposable garments such

as disposable diapers.

[0013] Fig. 3 is a view similar to Fig. 2 but showing one preferred embodiment of this invention. In the elastically stretchable sheet 2 according to this embodiment, a plurality of elastic threads 4 describe spirals.

[0014] Fig. 4 also is a view similar to Fig. 2 but showing another preferred embodiment of this invention. In the elastically stretchable sheet 2 according to this embodiment, the plurality of elastic threads 4 rectilinearly extending in the direction X are secured not only to the apices 8 of the crests 6 from outer side (i.e., from above as viewed in Fig. 4) but also to bottoms 9 of the troughs 7 from outer side (i.e., from below as viewed in Fig. 4).

[0015] Fig. 5 also is a view similar to Fig. 2 but showing still another preferred embodiment of this invention. The elastically stretchable sheet 2 according to this embodiment comprises a pair of pleated sheets 3, 3 placed upon each other and an elastic sheet 14 being elastically stretchable both in the direction Y and in the direction X disposed between said two pleated sheets 3, 3. The elastic sheet 14 is secured to a bottom 9 of the upper pleated sheet 3 and to an apice 8 of the lower pleated sheet 3 by means of hot melt adhesive (not shown). As according to this embodiment, the elastic threads 4 in Figs. 2 - 4 may be replaced by the elastic sheet 14.

[0016] In the case of the pleated sheet 3 according to this invention, there is no distinction between its upper and lower surfaces and the crests 6 of the pleats may be designated as the troughs 7 of the pleats substantially without any confusion.

[0017] This invention enables the sheet material which is elastically stretchable with no significant resistance only in one direction to be elastically stretchable with no significant resistance also in another direction orthogonal to the one direction.

Claims

1. A sheet having an elastic stretchability both in a longitudinal direction thereof and in a transverse direction orthogonal to said longitudinal direction, wherein:

a flat sheet material intrinsically having a nature of being elastically stretchable in said longitudinal direction without any significant resistance rather than in said transverse direction is formed with a plurality of pleats extending in said longitudinal direction and having a plurality of crests and troughs alternately repeating in said transverse direction and a plurality of elastic members being stretchable in said transverse direction are bonded to respective apices of said plurality of crests forming said pleats from outer side;

2. The sheet according to claim 1, wherein said elastic members are bonded also to respective bottoms of said plurality of troughs forming said pleats from outer side.
3. The sheet according to Claim 1, wherein said elastic members are provided in the form of elastic threads.
4. The sheet according to Claim 1, wherein said elastic members are provided in the form of a sheet having an elastic stretchability both in said longitudinal direction and in said transverse direction.
5. The sheet according to Claim 1, wherein said sheet is for a disposable diaper or a sanitary napkin.

FIG.1




FIG.2




FIG.3




FIG.4





FIG. 5





European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 00 30 5449

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	EP 0 321 980 A (KIMBERLY CLARK CO) 28 June 1989 (1989-06-28) * figures * * claims *	1,2,5	B32B5/04 A61F13/15
E	WO 00 37003 A (KIMBERLY CLARK CO) 29 June 2000 (2000-06-29) * figures 1A,1B,220A-20E,21-25 * * examples *	1-5	
A	EP 0 556 749 A (JAPAN ABSORBENT TECHNOLOGY INS) 25 August 1993 (1993-08-25) * figures *	1-5	
A	EP 0 119 825 A (PROCTER & GAMBLE) 26 September 1984 (1984-09-26) * figures 6,7,11 *	1-5	
A	US 4 397 704 A (FRICK RICHARD H) 9 August 1983 (1983-08-09) * figure 6 *	1-5	
X	US 5 681 302 A (MELBYE WILLIAM L ET AL) 28 October 1997 (1997-10-28) * figures 2,5,11,13-17 *	1-3,5	B32B A61F D04H
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 5 October 2000	Examiner Barathe, R
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03/82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 00 30 5449

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information

05-10-2000

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0321980	A	28-06-1989	US 4891258 A	02-01-1990
			AU 2730388 A	22-06-1989
			CA 1311112 A	08-12-1992
			DE 3889311 D	01-06-1994
			DE 3889311 T	29-09-1994
			ES 2051290 T	16-06-1994
			JP 2004362 A	09-01-1990
			MX 165445 B	11-11-1992
			ZA 8809547 A	25-10-1989
WO 0037003	A	29-06-2000	AU 1826500 A	12-07-2000
EP 0556749	A	25-08-1993	JP 5222601 A	31-08-1993
			JP 5228177 A	07-09-1993
			JP 5245961 A	24-09-1993
			DE 69310406 D	12-06-1997
			DE 69310406 T	18-09-1997
			ES 2101885 T	16-07-1997
			US 5576090 A	19-11-1996
EP 0119825	A	26-09-1984	AT 35607 T	15-07-1988
			BR 8401215 A	23-10-1984
			CA 1211602 A	23-09-1986
			DE 3472617 D	18-08-1988
			EG 16321 A	30-09-1987
			ES 278248 U	16-04-1985
			ES 530683 D	16-11-1984
			ES 8501215 A	16-02-1985
			GB 2136677 A, B	26-09-1984
			GR 81775 A	12-12-1984
			HK 58290 A	10-08-1990
			IE 55086 B	23-05-1990
			JP 2590054 B	12-03-1997
			JP 60017101 A	29-01-1985
			JP 2654350 B	17-09-1997
			JP 7047097 A	21-02-1995
			KR 9105920 B	08-08-1991
			MX 159353 A	17-05-1989
			PH 25563 A	08-08-1991
			SG 31989 G	11-08-1989
			US 4710189 A	01-12-1987
			US 4808252 A	28-02-1989
US 4397704	A	09-08-1983	AU 7609981 A	29-04-1982
			BR 8106710 A	06-07-1982
			IT 1142895 B	15-10-1986

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO. .**

EP 00 30 5449

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

05-10-2000

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4397704 A		ZA 8106683 A	29-09-1982
US 5681302 A	28-10-1997	DE 69517979 D	17-08-2000
		EP 0765146 A	02-04-1997
		EP 0985394 A	15-03-2000
		JP 10501195 T	03-02-1998
		WO 9534264 A	21-12-1995

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

